


Appl. No.10/052,322  
Atty. Docket No. G-264ML  
Amdt. dated 01/16/2004  
Reply to Office Action of 10/16/2003  
Customer No. 27752

### AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:


1. (Currently Amended) A compound of formula (1):



- wherein  $R_1$  and  $R_2$  are each independently selected from the group consisting of a hydrogen atom, and a  $C_1$  to  $C_5$  alkyl or hydroxyalkyl group, or  $R_1$  and  $R_2$  together with the nitrogen atom to which they are attached form a 5 or 6 member cyclic ring optionally containing one or more additional atoms selected from O, N or S atoms, and  $n$  is equal to 1 or 2, with the proviso that when  $n$  is equal to 2 only one of  $R_1$  and  $R_2$  may be hydrogen.
2. (Original) A compound of Claim 1 wherein  $R_1$  and  $R_2$  are each individually selected from the group consisting of hydrogen atom, a  $C_1$  to  $C_3$  alkyl group, or  $R_1$  and  $R_2$  together with the nitrogen atom to which they are bound form a piperazine, piperidine, imidazole, or morpholine ring.
3. (Original) A compound of Claim 2 wherein  $R_1$  and  $R_2$  are both alkyl groups.
4. (Original) A compound of Claim 2 wherein  $R_1$  and  $R_2$  form a piperidine ring.
5. (Original) A compound of Claim 3 wherein  $R_1$  and  $R_2$  form an imidazole ring.
6. (Original) A compound of Claim 3 wherein  $R_1$  and  $R_2$  are both methyl.


Appl. No.10/052,322  
Atty. Docket No. G-264ML  
Amdt. dated 01/16/2004  
Reply to Office Action of 10/16/2003  
Customer No. 27752

7. (Withdrawn) A process for the preparation of a compound of formula (1) of Claim 1 comprising (a) nitrating a compound of formula (2)




(2)

to produce a compound of formula (3)



(3)


(b) reacting the compound of formula (3) with a reagent of the formula  $\text{R}_1\text{R}_2\text{NH}$  to produce a compound of formula (4)




(4)

(c) subjecting the compound of formula (4) to reduction by reaction with a borane-THF complex to produce a compound of formula (5)

Appl. No.10/052,322  
Atty. Docket No. G-264ML  
Amdt. dated 01/16/2004  
Reply to Office Action of 10/16/2003  
Customer No. 27752



and (d) then catalytically hydrogenating the compound of formula (5) to produce a compound of formula (1)




wherein n, R<sub>1</sub> and R<sub>2</sub> are as defined in Claim 1.

8. (Withdrawn) A process according to Claim 7 wherein R<sub>1</sub> and R<sub>2</sub> are each individually selected from the group consisting of hydrogen atom, a C<sub>1</sub> to C<sub>3</sub> alkyl group, or R<sub>1</sub> and R<sub>2</sub> together with the nitrogen atom to which they are bound form a piperazine, piperidine, imidazole, or morpholine ring.
9. (Withdrawn) A process according to Claim 7 wherein R<sub>1</sub> and R<sub>2</sub> are both alkyl groups.
10. (Withdrawn) A process according to Claim 7 wherein R<sub>1</sub> and R<sub>2</sub> form a piperidine ring.

Appl. No.10/052,322  
 Atty. Docket No. G-264ML  
 Amdt. dated 01/16/2004  
 Reply to Office Action of 10/16/2003  
 Customer No. 27752

11. (Withdrawn) A hair dye product comprising a hair dyeing composition containing at least one primary intermediate and at least one coupler and a developer composition containing one or more oxidizing agents, The hair dyeing composition containing a primary intermediate comprising a compound of formula (1):




wherein  $R_1$  and  $R_2$  are each independently selected from the group consisting of a hydrogen atom, a  $C_1$  to  $C_5$  alkyl or hydroxyalkyl group, or  $R_1$  and  $R_2$  together with the nitrogen atom to which they are attached form a 5 or 6 member cyclic ring optionally containing one or more additional atoms selected from O, N or S atoms, and  $n$  is equal to 1 or 2, with the proviso that when  $n$  is equal to 2 only one of  $R_1$  and  $R_2$  may be hydrogen.

12. (Withdrawn) A hair dye product according to Claim 11 wherein the hair dyeing composition additionally comprises a primary intermediate selected from the group consisting of: 2-methyl-benzene-1,4-diamine, benzene-1,4-diamine, 2-(2,5-diamino-phenyl)-ethanol, 1-(2,5-diamino-phenyl)-ethanol, 2-[(4-amino-phenyl)-(2-hydroxy-ethyl)-amino]-ethanol, 4-amino-phenol, 4-methylamino-phenol, 4-amino-3-methyl-phenol, 1-(5-amino-2-hydroxy-phenyl)-ethane-1,2-diol, 2-amino-phenol, 2-amino-5-methyl-phenol, 2-amino-6-methyl-phenol, N-(4-amino-3-hydroxy-phenyl)-acetamide, pyrimidine-2,4,5,6-tetramine, 2-(4,5-diamino-1H-pyrazol-1-yl)ethanol, 1-(4-methylbenzyl)-1H-pyrazole-4,5-diamine, and 1-(benzyl)-1H-pyrazole-4,5-diamine.
13. (Withdrawn) A hair dye product according to Claim 11 wherein the coupler present in the hair dyeing composition is selected from the group consisting of: benzene-1,3-diol, 4-chlorobenzene-1,3-diol, naphthalen-1-ol, 2-methyl-naphthalen-1-ol, 2-methyl-benzene-1,3-diol, 2-(2,4-diamino-phenoxy)-ethanol, 2-(3-amino-4-methoxy-phenylamino)-

Appl. No.10/052,322  
Atty. Docket No. G-264ML  
Amdt. dated 01/16/2004  
Reply to Office Action of 10/16/2003  
Customer No. 27752

ethanol, 2-[2,4-diamino-5-(2-hydroxy-ethoxy)-phenoxy]-ethanol, and 3-(2,4-diamino-phenoxy)-propan-1-ol, 3-amino-phenol, 5-amino-2-methyl-phenol, 5-(2-hydroxy-ethylamino)-2-methyl-phenol, 3-amino-2-methyl-phenol, 3,4-dihydro-2H-1,4-benzoxazin-6-ol, 4-methyl-2-phenyl-2,4-dihydro-3H-pyrazol-3-one, 1H-indol-6-ol, and 2-aminopyridin-3-ol.


14. (Withdrawn) A hair dye product according to Claim 13 wherein the hair dyeing composition additionally comprises a primary intermediate selected from the group consisting of: 2-methyl-benzene-1,4-diamine, benzene-1,4-diamine, 2-(2,5-diamino-phenyl)-ethanol, 1-(2,5-diamino-phenyl)-ethanol, 2-[(4-amino-phenyl)-(2-hydroxy-ethyl)-amino]-ethanol, 4-amino-phenol, 4-methylamino-phenol, 4-amino-3-methyl-phenol, 1-(5-amino-2-hydroxy-phenyl)-ethane-1,2-diol, 2-amino-phenol, 2-amino-5-methyl-phenol, 2-amino-6-methyl-phenol, N-(4-amino-3-hydroxy-phenyl)-acetamide, pyrimidine-2,4,5,6-tetramine, 2-(4,5-diamino-1H-pyrazol-1-yl)ethanol, 1-(4-methylbenzyl)-1H-pyrazole-4,5-diamine, and 1-(benzyl)-1H-pyrazole-4,5-diamine.
15. (Withdrawn) A hair dye product according to Claim 11 wherein  $R_1$  and  $R_2$  are each individually selected from the group consisting of hydrogen atom, a  $C_1$  to  $C_3$  alkyl group, or  $R_1$  and  $R_2$  together with the nitrogen atom to which they are bound form a piperazine, piperidine, imidazole, or morpholine ring.
16. (Withdrawn) In a hair dyeing system wherein at least one primary intermediate is reacted with at least one coupler in the presence of an oxidizing agent to produce an oxidative hair dye, the improvement wherein the at least one primary intermediate comprises a compound of the formula (1):



Appl. No.10/052,322  
Atty. Docket No. G-264ML  
Amdt. dated 01/16/2004  
Reply to Office Action of 10/16/2003  
Customer No. 27752

wherein  $R_1$  and  $R_2$  are each independently selected from the group consisting of a hydrogen atom, a  $C_1$  to  $C_5$  alkyl or hydroxyalkyl group, or  $R_1$  and  $R_2$  together with the nitrogen atom to which they are attached form a 5 or 6 member cyclic ring optionally containing one or more additional atoms selected from O, N or S atoms, and  $n$  is equal to 1 or 2, with the proviso that when  $n$  is equal to 2 only one of  $R_1$  and  $R_2$  may be hydrogen.

17. (Withdrawn) A hair dyeing composition comprising, in a suitable carrier or vehicle, an effective hair dyeing amount of:
- (a) at least one coupler, and
  - (b) at least one primary intermediate comprising a compound of the formula (1):



wherein  $R_1$  and  $R_2$  are each independently selected from the group consisting of a hydrogen atom, a  $C_1$  to  $C_5$  alkyl or hydroxyalkyl group, or  $R_1$  and  $R_2$  together with the nitrogen atom to which they are attached form a 5 or 6 member cyclic ring optionally containing one or more additional atoms selected from O, N or S atoms, and  $n$  is equal to 1 or 2, with the proviso that when  $n$  is equal to 2 only one of  $R_1$  and  $R_2$  may be hydrogen.

18. (Withdrawn) A hair dyeing composition of Claim 17 wherein  $R_1$  and  $R_2$  are each individually selected from the group consisting of hydrogen atom, a  $C_1$  to  $C_5$  alkyl group, or  $R_1$  and  $R_2$  together with the nitrogen atom to which they are bound form a piperazine, piperidine, imidazole, or morpholine ring.
19. (Withdrawn) A hair dyeing composition according to Claim 17 additionally comprising a primary intermediate selected from the group consisting of: 2-methyl-benzene-1,4-diamine, benzene-1,4-diamine, 2-(2,5-diamino-phenyl)-ethanol, 1-(2,5-diamino-phenyl)-ethanol, 2-[(4-amino-phenyl)-(2-hydroxy-ethyl)-amino]-ethanol, 4-amino-phenol, 4-

Appl. No.10/052,322  
Atty. Docket No. G-264ML  
Amdt. dated 01/16/2004  
Reply to Office Action of 10/16/2003  
Customer No. 27752

methylamino-phenol, 4-amino-3-methyl-phenol, 1-(5-amino-2-hydroxy-phenyl)-ethane-1,2-diol, 2-amino-phenol, 2-amino-5-methyl-phenol, 2-amino-6-methyl-phenol, N-(4-amino-3-hydroxy-phenyl)-acetamide, pyrimidine-2,4,5,6-tetramine, 2-(4,5-diamino-1H-pyrazol-1-yl)ethanol, 1-(4-methylbenzyl)-1H-pyrazole-4,5-diamine, and 1-(benzyl)-1H-pyrazole-4,5-diamine.

20. (Withdrawn) A hair dyeing composition according to Claim 19 wherein the at least one coupler is selected from the group consisting of: benzene-1,3-diol, 4-chlorobenzene-1,3-diol, naphthalen-1-ol, 2-methyl-naphthalen-1-ol, 2-methyl-benzene-1,3-diol, 2-(2,4-diamino-phenoxy)-ethanol, 2-(3-amino-4-methoxy-phenylamino)-ethanol, 2-[2,4-diamino-5-(2-hydroxy-ethoxy)-phenoxy]-ethanol, and 3-(2,4-diamino-phenoxy)-propan-1-ol, 3-amino-phenol, 5-amino-2-methyl-phenol, 5-(2-hydroxy-ethylamino)-2-methyl-phenol, 3-amino-2-methyl-phenol, 3,4-dihydro-2H-1,4-benzoxazin-6-ol, 4-methyl-2-phenyl-2,4-dihydro-3H-pyrazol-3-one, 1H-indol-6-ol, and 2-aminopyridin-3-ol.
21. (Withdrawn) A hair dyeing composition according to Claim 17 wherein the at least one coupler is selected from the group consisting of: benzene-1,3-diol, 4-chlorobenzene-1,3-diol, naphthalen-1-ol, 2-methyl-naphthalen-1-ol, 2-methyl-benzene-1,3-diol, 2-(2,4-diamino-phenoxy)-ethanol, 2-(3-amino-4-methoxy-phenylamino)-ethanol, 2-[2,4-diamino-5-(2-hydroxy-ethoxy)-phenoxy]-ethanol, and 3-(2,4-diamino-phenoxy)-propan-1-ol, 3-amino-phenol, 5-amino-2-methyl-phenol, 5-(2-hydroxy-ethylamino)-2-methyl-phenol, 3-amino-2-methyl-phenol, 3,4-dihydro-2H-1,4-benzoxazin-6-ol, 4-methyl-2-phenyl-2,4-dihydro-3H-pyrazol-3-one, 1H-indol-6-ol, and 2-aminopyridin-3-ol.
22. (Withdrawn) A hair coloring composition according to Claim 17 wherein R<sub>1</sub> and R<sub>2</sub> are both alkyl groups.
23. (Withdrawn) A process for dyeing hair comprising forming a hair dye product composition by mixing a developer composition and a hair dyeing composition as defined in Claim 17, applying to the hair an amount of the hair dye product composition effective to dye the hair, permitting the hair dye product composition to contact the hair for period of time effective to dye the hair, and removing the hair dye product composition from the hair.